


**FIBER OPTİK
TERMİNASYON SETİ - KASET**

TERMİNASYON SETİ

1U

19"

12
PORTW
RAILP
MODULE

FEATURES



1U 19" 12 Port SC/APC SM DX

Sliding (With Rail&P.M)
Rack Type Patchpanel (Full)

Turksat Code / TTAF Confirmation Code

TKS-FOM -16 / TKS-FOM-1606012014002

TTAF Code


FO-1U-12-TS



TEKNİK ÖZELLİKLER


Boyut (w:19",h:1U)	(w):482mm x (d): 340mm x (h):1U
Ağırlık	Approx 3,50 kg
Fiber Kapasitesi	0-48 port
Adaptor Tipi	ST, FC, SC, LC, E2000, MTRJ, MU
Renk	Ral9005 Black, Ral7035
Tip	19" / 21" RackType
Malzeme	1.2mm A1 DKP

TERMINASYON SETİ



1U

19"

24
PORTW
RAILP
MODULE

1U 19" 24 Port SC/APC SM DX

Sliding (With Rail&P.M)
Rack Type Patchpanel (Full)


Turksat Code / TTAF Confirmation Code

TKS-FOM -17 / TKS-FOM-1706012014002

TTAF Code

FO-1U-24-TS


FO-1U-48-TS



TEKNİK ÖZELLİKLER

Boyut (w:19",h:1U)	(w):482mm x (d): 340mm x (h):1U
Ağırlık	Approx 3,50 kg
Fiber Kapasitesi	0-48 port
Adaptor Tipi	ST, FC, SC, LC, E2000, MTRJ, MU
Renk	Ral9005 Black, Ral7035
Tip	19" / 21" RackType
Malzeme	1.2mm A1 DKP

TERMINASYON SETİ




2U

19"

48
PORT

W
RAIL

P
MODULE



2U 19" 48 Port SC/APC SM DX


Sliding (With Rail&P.M)
Rack Type Patchpanel (Full)

Turksat Code / TTAF Confirmation Code

TKS-FOM -18 / TKS-FOM-1806012014002

TTAF Code

FO-2U-48-TS




TEKNİK ÖZELLİKLER

Boyut (w:19",h:1U)	(w):482mm x (d): 340mm x (h):1U
Ağırlık	Approx 3,50 kg
Fiber Kapasitesi	0-48 port
Adaptor Tipi	ST, FC, SC, LC, E2000, MTRJ, MU
Renk	Ral9005 Black, Ral7035
Tip	19" / 21" RackType
Malzeme	1.2mm A1 DKP

EXCLUSIVE SERIES TERMINATION BOXES



19" 2U 48 PORT SLIDING WITH TELESCOPIC RAIL & PLASTIC MODULE TYPE



TERMINATION SETS


EXCLUSIVE SERIES ODF BOXES

2U

19"

96
PORTW
R-TRAY

19" 2U 96 PORT ROTATABLE TRAY TYPE



FEATURES

- Up to 64-128 Fo connections
- Available to suit only adapter type
- You can apply ST/SC/FC/E2000/MU/MTRJ/LC
- Without rail
- Maintains fiber bending radius throughout for terminated optical fibers at 30mm
- Units can be custom design
- Compatible with screwed adapters and screwless type adapters
- Can be supplied with:
 - » Pigtail
 - » Special splice cassette
 - » Heat Shrink splice protectors



2U 19" 96 Port SC/APC SM DX

Swing Rack Type Patchpanel
(Full)


Turksat Code / TTAF Confirmation Code

TKS-FOM -19 / TKS-FOM-1906012014002

TTAF Code


FO-2U-72-TS

FO-2U-96-TS



TEKNİK ÖZELLİKLER

Boyut (w:19";h:1U)	(w): 485mm x (d): 270mm x (h): 90mm
Ağırlık	Approx 6,80 kg
Fiber Kapasitesi	0-128 port
Adaptor Tipi	ST, FC, SC, LC, E2000, MTRJ, MU
Renk	Ral9005 Black, Ral7035
Tip	19" / 21" Rack Type
Malzeme	Mild Steel




3U

19"

192
PORT

W
R-TRAY

19" 3U 192 PORT ROTATABLE TRAY TYPE



3U 19" 192 Port SC/APC SM DX

Swing Rack Type Patchpanel
(Full)

Turksat Code / TTAF Confirmation Code

TKS-FOM -19 / TKS-FOM-1906012014002

TTAF Code

FO-3U-96-TS

FO-3U-144-TS




TEKNİK ÖZELLİKLER

Boyut (w:19",h:1U)	(w): 482mm x (d): 340mm x (h): 3U
Ağırlık	Approx 4.50 kg
Fiber Kapasitesi	0-216 port
Adaptor Tipi	ST, FC, SC, LC, E2000, MTRJ, MU
Renk	Ral9005 Black, Ral7035
Tip	19" / 21" Rack Type
Malzeme	1.2mm A1 DKP



19" 3U 192 PORT ROTATABLE TRAY TYPE



MOUNTING ACCESSORIES

SPLICE CASSETTES

**24 PORT SPLICE CASSETTE**

Turksat Code / TTAF Confirmation Code

TKS-FOM-25

TTAF Code

FO-MA00 13

12 PORT SPLICE CASSETTE

Turksat Code / TTAF Confirmation Code

TKS-FOM-25

TTAF Code

FO-MA0010



fiberoptik@ttaf.com.tr | fiberoptic@ttaf.com.tr



ttaf electronic

FACTORY - HEAD OFFICE
Kavaklı Mah İstanbul Cad. No:21 Beylikdüzü, İstanbul / TÜRKİYE

Tel: +90 212 855 82 20 (10 lines)
Fax: +90 212 855 82 21